UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|--------------------------------|-----------------------------|----------------------|----------------------|------------------|
| 10/718,441 | 11/20/2003 | Rick E. Bollenbacher | BOC9-2003-0084 (452) | 9839 |
| 40987 AKERMAN SE | 7590 09/12/200 ENTERFITT | EXAMINER | | |
| P. O. BOX 3183 | | WIENER, ERIC A | | |
| WEST PALM BEACH, FL 33402-3188 | | 50 | ART UNIT | PAPER NUMBER |
| | | | 2179 | |
| | | | | |
| | | | MAIL DATE | DELIVERY MODE |
| | | | 09/12/2008 | PAPER |

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

| | Application No. | Applicant(s) |
|--|--|--|
| | 10/718,441 | BOLLENBACHER ET AL. |
| Office Action Summary | Examiner | Art Unit |
| | Eric Wiener | 2179 |
| The MAILING DATE of this communication appeariod for Reply | ppears on the cover sheet with | the correspondence address |
| A SHORTENED STATUTORY PERIOD FOR REP WHICHEVER IS LONGER, FROM THE MAILING - Extensions of time may be available under the provisions of 37 CFR 1 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory perio - Failure to reply within the set or extended period for reply will, by statu. Any reply received by the Office later than three months after the mail earned patent term adjustment. See 37 CFR 1.704(b). | DATE OF THIS COMMUNICA 1.136(a). In no event, however, may a reply d will apply and will expire SIX (6) MONTHS ate, cause the application to become ABANI | TION. be timely filed from the mailing date of this communication. DONED (35 U.S.C. § 133). |
| Status | | |
| Responsive to communication(s) filed on 29 This action is FINAL . 2b) ☑ Th Since this application is in condition for allow closed in accordance with the practice under | is action is non-final. ance except for formal matters | |
| Disposition of Claims | | |
| 4) ☐ Claim(s) 1-4,8 and 9 is/are pending in the ap 4a) Of the above claim(s) is/are withdr 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-4, 8, and 9 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and application Papers | rawn from consideration. /or election requirement. | |
| 9) The specification is objected to by the Examir 10) The drawing(s) filed on is/are: a) according a deplicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Examiration is objected. | ecepted or b) objected to by e drawing(s) be held in abeyance. ection is required if the drawing(s) | See 37 CFR 1.85(a). is objected to. See 37 CFR 1.121(d). |
| Priority under 35 U.S.C. § 119 | | |
| 12) ☐ Acknowledgment is made of a claim for foreign a) ☐ All b) ☐ Some * c) ☐ None of: 1. ☐ Certified copies of the priority document 2. ☐ Certified copies of the priority document 3. ☐ Copies of the certified copies of the priority document application from the International Bure * See the attached detailed Office action for a list | nts have been received. nts have been received in Appliority documents have been recall au (PCT Rule 17.2(a)). | lication No ceived in this National Stage |
| Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date | Paper No(s)/M | mary (PTO-413) ail Date mal Patent Application |

Application/Control Number: 10/718,441 Page 2

Art Unit: 2179

1.

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been

timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR

1.114. Applicant's submission filed on 7/29/2008 has been entered.

2. Claims 1-4, 8, and 9 are pending in the case. Claim 1 is the independent claim. Claim 1 is the amended claim. Claims 5-7 and 10-20 have been cancelled. Claims 1-4, 8, and 9 have been rejected.

Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any

Page 3

evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

5. Claims 1 – 4, 8, and 9 are rejected under 35 U.S.C. 103(a) as being unpatentable over Crosby et al. (US 6,366,302 B1) in view of Berstis et al. (US 5,896,132) and further in view of Ogawa et al. (US 6,529,218 B2).

As per independent claim 1, Crosby discloses a method for indicating that a content page is scrollable (column 3, lines 39 – 40) comprising:

- displaying at least a portion of a content page within a display area of a graphical user interface (GUI), wherein said displayed portion of said content page occupies all of said display area (column 5, lines 7 19 and column 6, lines 8 20);
- determining whether the displayed content page is scrollable in at least one direction (column 5, lines 7 19 and column 6, lines 8 20);
- and responsive to said determination, displaying at least one flyover within said display area to indicate said at least one direction that said displayed content page is scrollable, wherein said at least one displayed flyover is a GUI object independent of said displayed content page (column 5, lines 61 67 and column 6, lines 8 20), where the examiner has interpreted the "dynamic scroll indicator" to sufficiently function as a "flyover;"

However, Crosby does not explicitly disclose that said at least one displayed flyover overlaps at least one among text content and image content shown in said displayed portion of said content page, and wherein said at least one displayed flyover is configured to occlude the at least one among text content and image content of the overlapped portion of said displayed portion of said content page.

Nevertheless, in an analogous art, Berstis discloses at least one displayed flyover overlaps at least one among text content and image content shown in a displayed portion of a content page, and wherein said at least one displayed flyover is configured to occlude the at least one among text content and image content of the overlapped portion of said displayed portion of said content page (column 5, line 46 – column 7, line 36), wherein it is disclosed that "more bars may be overlapped," further wherein "more bars may contain text" and "may also contain graphical images." Furthermore, it is disclosed that said more bars "may lie within the application space" of the GUI, wherein said application space has been interpreted as corresponding to the portion of content within the GUI display. Thus, it has been interpreted that such text and image content of a more bar shown may be overlapped and thus also occluded by another more bar, wherein such text and image content is shown in the displayed portion of the content of the GUI.

Both Crosby and Berstis pertain to the analogous art of presenting graphical scroll indicators within interfaces containing scrollable content. In addition, Berstis discloses that it is critical to provide such types of graphical scroll indicators so that a user is intrinsically informed that more information is available for viewing in a particular direction and also enabled to intuitively understand and operate such types of graphical scroll indicators (Berstis, column 2,

lines 1-9). Therefore, it would have been obvious to one of ordinary skill in the art at the time of invention to incorporate the teaching of Berstis into the method of Crosby, because any data processing system, such as that of Crosby, would benefit from the addition of a simpler, more intuitive mechanism for scrolling a display, such as that disclosed by Berstis (Berstis, column 7, lines 59-62).

Crosby and Berstis do not explicitly disclose detecting an occurrence of a scroll event, and, responsive to said detection, discontinuing said display of said at least one flyover.

Nevertheless, in an analogous art, Ogawa discloses detecting an occurrence of a scroll event, and, responsive to said detection, discontinuing the display of at least one flyover (column 1, lines 10 - 13, 49 - 53).

Crosby, Berstis, and Ogawa all pertain to the analogous art of presenting graphical scroll indicators within interfaces containing scrollable content. Thus, each would look to the other for possible improvements or modifications to their inventions. Therefore, it would have been obvious to one of ordinary skill in the art at the time of invention to incorporate the teaching of Ogawa into the method of Crosby and Berstis to develop a method for providing an indication that a content page is scrollable and closing said indication in response to a scroll event. The modification would have been obvious, because operating scrolling mechanisms in a graphical user interface can be complex for people unfamiliar with such interfaces. Thus, it is well known in the art that there is a need for providing a user interface that allows a user to be aware of all of the possible input options that are available at a specific time (Crosby, column 2, lines 1-3).

The examiner has interpreted the ability to move auxiliary information so as not to hide a newly appearing image to include the ability of moving said auxiliary information off the screen,

thus performing the operation of closing said auxiliary information. In addition, because one step of hiding the auxiliary information is already to initially delete said auxiliary information (column 7, lines 9 - 14), it would be obvious that when attempting to not hide newly appearing images, one possible option would be to close said auxiliary information, thus not only serving to not hide newly appearing information, but also serving to not hide **any** information. This would be an obvious ability that one of ordinary skill in the art designing the invention would include.

As per claim 2, and taking into account the rejection of claim 1, Crosby further discloses that said displaying at least one flyover step further comprises the step of: responsive to determining that said displayed content page is scrollable in a vertical direction, displaying a vertical flyover (column 6, lines 8 – 18). The examiner has interpreted the fact that the dynamic scroll indicator can be presented at different locations and also has "multiple appearances" depending upon what portions of the page are currently displayed to sufficiently function as displaying a vertical appearance if the page is vertically scrollable.

As per claim 3, and taking into account the rejection of claim 1, Crosby further discloses that said displaying at least one flyover step further comprises the step of: responsive to determining that said displayed content page is scrollable in a horizontal direction, displaying a horizontal flyover (column 6, lines 8 – 18). The examiner has interpreted the fact that the dynamic scroll indicator can be presented at different locations and also has "multiple appearances" depending upon what portions of the page are currently displayed to sufficiently function as displaying a horizontal appearance if the page is horizontally scrollable.

As per claim 4, and taking into account the rejection of claim 1, Crosby further discloses scrolling said displayed content page in said at least one scrollable direction (column 6, lines 50

- 52), wherein a position of said at least one flyover remains fixed during said scrolling step (column 5, lines 63 – 65). The examiner has determined the fact that the dynamic scroll indicator is presented in one position throughout the illustrated embodiment sufficiently discloses that the position of said indicator is able to remain fixed while scrolling.

As per claim 8, and taking into account the rejection of claim 1, Crosby further discloses that at least one among an appearance, a position, and a behavior of said at least one flyover is customized using a configuration editor (column 2, lines 37 – 44 and column 12, line 50 – column 13, line 20), wherein it has been interpreted that the flyover's behavior, position, and appearance are all affected in a customized fashion according to use of the editor.

As per claims 9, and taking into account the rejection of claim 1, Crosby further discloses that said at least one flyover is implemented on an operating system level as a generic GUI object (column 5, lines 7 - 9, 61 - 63), where the examiner has interpreted the fact that the dynamic scroll indicator is implemented on the display controlled by the graphical user interface as being sufficiently function as said indicator being implemented as a generic object of the graphical user interface on the operating system.

Response to Arguments

6. Applicant's arguments filed on 7/29/2008 have been fully considered, but are moot in view of new grounds of rejection necessitated by amendment.

Application/Control Number: 10/718,441 Page 8

Art Unit: 2179

Conclusion

7. It is noted that any citation to specific, pages, columns, lines, or figures in the prior art references and any interpretation of the references should not be considered to be limiting in any way. A reference is relevant for all it contains and may be relied upon for all that it would have reasonably suggested to one having ordinary skill in the art. In re Heck, 699 F.2d 1331, 1332-33,216 USPQ 1038, 1039 (Fed. Cir. 1983) (quoting In re Lemelson, 397 F.2d 1006,1009, 158 USPQ 275, 277 (CCPA 1968)).

- 8. The prior art made of record and not relied upon is considered pertinent to the applicant's disclosure. The cited documents represent the general state of the art. Newly cited art of particular importance includes, but is not limited to:
 - Wagner (US 6,570,594 B1), column 5, line 40 column 6, line 10
 - Cline et al. (US 6,069,626), column 4, line 18 column 5, line 37
- 9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Eric A. Wiener whose telephone number is 571-270-1401. The examiner can normally be reached on Monday through Thursday from 9am to 5pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Weilun Lo, can be reached on 571-272-4847. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications

Application/Control Number: 10/718,441

Art Unit: 2179

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

Page 9

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

/Eric Wiener/

Examiner, Art Unit 2179

/Weilun Lo/

Supervisory Patent Examiner, Art Unit 2179